SPORTSCOACH

LUXURY DIESEL PUSHER

PRODUCT GUIDE



CELEBRATING OVER 50 YEARS OF MOTORCOACHING



SPORTSCOACH



EVOLUTION TO REVOLUTION. 1968 1980 1990 2000 2010 2021

THE ALL-NEW SPORTSCOACH.

In 1968, the evolution of Sportscoach of America began, and for over five decades has emerged as it's name implies, one of the sportiest rides and looks on the road. Throughout the 1980s and into the 1990s, Sportscoach continued it's evolution into the new millennium as the most luxurious and best value-priced diesel pusher in it's class. The all-new 2021 Sportscoach has revolutionized the market with the best floorplans, quality, price and exclusive features.

Join the revolution today! Call **800.353.7383**, or visit **coachmenrv.com** to see photos and floorplans and find your nearest Sportscoach dealer to schedule a test drive.







SCAN HERE To see available

Standards, Options and Features!

SPORTSCOACH

340HP - STRAIGHT RAIL SERIES (SRS)



339DS



354QS



365RB



376ES

340HP: SRS SPEC SHEET

SPORTSCOACH SRS SPECIFICATIONS						
CLASS A DIESEL	339DS	354QS	365RB	376ES		
CUMMINS ISB 6.7L ENGINE	340 HP@2600 RPM	340 HP@2600 RPM	340 HP@2600 RPM	340 HP@2600 RPM		
ALLISON TRANSMISSION	2100MH	2100MH	2500MH	2500MH		
WHEEL BASE	208"	208"	252"	252"		
GVWR	26,000 lbs	26,000 lbs	29,410 lbs	29,410 lbs		
GCWR	30,000 lbs	30,000 lbs	33,000 lbs	33,000 lbs		
GAWR FRONT	10,410 lbs	10,410 lbs	10,410 lbs	10,410 lbs		
GAWR REAR	17,500 lbs	17,500 lbs	19,000 lbs	19,000 lbs		
FUEL CAPACITY	90 gal	90 gal	90 gal	90 gal		
LP GAS CAPACITY	20 gal	20 gal	20 gal	20 gal		
FURNACE (BTUs)	(2) 20,000	(2) 20,000	35,000	35,000		
EXTERIOR LENGTH (w/o Ladder)	36' 3"	36' 3"	40'0"	40' 0"		
EXTERIOR HEIGHT (w/A/C)	12' 10"	12' 10"	12' 10"	12' 10"		
EXTERIOR WIDTH	102"	102"	102"	102"		
FRESH WATER	72 gal	72 gal	72 gal	72 gal		
GREY WATER	45 gal	45 gal	45 gal	45 gal		
BLACK WATER	45 gal	45 gal	45 gal	45 gal		
WATER HEATER	10 gal	1 0 gal	10 gal	1 0 gal		
AWNING SIZE	18'	14'	17'	20'		
TOWHITCH	8,000 lbs	8,000 lbs	8,000 lbs	8,000 lbs		

SPORTSCOACH LUXURY DIESEL PUSHERS

STRAIGHT RAIL SERIES (SRS) SELLING FEATURES

SportsCoach SRS Diesel Coaches are Standard Equipped with the Following:

- 1. Big Block Cummins (B6.7)
- 2. 340 HP Freightliner Chassis (not a 300HP like our competitors; Palazzo, Pace Arrow)
- 3. 6 spd. Allison Transmission (2100 & 2500 Series)
- 4. GVWR- 26,000# & 29,410#
- 5. 22.5" Tires
- 6. Dual Fuel Tanks (90 gal)
- 7. 8,000# Hitch
- 8. 700# of Foot Torque
- 9. 2,000 Watt Inverter w/ 4 Coach Batteries and 2 Chassis Batteries
- 10. Standard 6.0 Onan Diesel Generator on a Slide-Out Tray (not a 5.0 with no slide tray)
- 11. 17" Bus Style Mirrors (not 13" or 14" side mounted)
- 12. Exterior Side Mounted Cameras (mounted low for best visibility -- not high and in the side mirrors)
- 13. Double Laminated Walls/Roof and Floor (pinch-rolled <u>and</u> vacuum bonded)
- 14. One-Piece Rolled Fiberglass Roof (not a TPO roof)
- 15. One Level Floor Through-Out the Entire Coach (no step up into the rear bathroom)
- 16. Noble Select High Gloss Fiberglass Gelcoat (3-year wall warranty w/AZDEL substrate)
- 17. Sikkens Brand Paint (4-6 Layers of Sikkens) Plus 2 Clear Coats (the same paint used on Mercedes vehicles)
- 18. Sachs Shocks (custom tuned; used on Maserati, Rolls Royce)
- 19. AZDEL Composite Sidewall and Roof Construction (eliminates the threat of rot, mold, mildew, delamination, formaldehyde off-gassing)
- 20. Full-Size Aluminum Slam Latch Baggage Doors with 1.5" Bulb Seal
- 21. The Best Construction and Quality in the Industry!
- 22. No Cloned or "Sister" Products (no competition next door or up the street)
- 23. Coachmen Does NOT do Business with Camping World Stores (no "back-dooring" from another location)
- 24. Coachmen is One of the Most Recognized Names in the Industry and Has a Long History of Success Dating Back to 1964!

339DS AND 354QS

Coachmen Sportscoach SRS

Floor plans: 339DS, 354QS

5-STAR FFATURFS





24/7 factory-direct phone support



Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic steering wheel

Prioritizes driver safety



Increased towing capacity Superior roll stability & handling Greater durability & longevity

		G		

 Make
 Cummins B6.7

 Horsepower
 340 HP @ 2,600 rpm

Torque 700 lb/ft

Brake VGT (Variable Geometry Turbocharger) Brake

(single stage)

WEIGHT RATINGS

 Front GAWR
 10,410 lbs

 Rear GAWR
 17,500 lbs

 Tag GAWR
 N/A

 Total GVWR
 26,000 lbs

 Total GCWR
 30,000 lbs

TRANSMISSION

Type Automatic

Gears Allison 2100 6-speed

FUEL

 Type
 Diesel

 Fuel Tank
 90 Gallon

 Def Tank
 13 Gallon

SUSPENSION

Front NEWAY

Wheel Cut 55 Degree front wheel

Rear V-Ride

SHOCKS

Make Sachs custom tuned

AXLES

 Front
 Detroit DA-F-10.5-3

 Rear
 Detroit DA-RS-17.5-2

BRAKES

Front Meritor CAM Brakes with ABS

Rear Meritor CAM Brakes with ABS

RAILS	
Straight	9.125" x 2.81" x 0.3125"
FRAME	
Construction	Straight Rail Chassis with Formed Rai Lowered Engine
Wheel Base	208"
COOLING	
Radiator	1,335 sq/inch, Rear mounted
нітсн	
Rating	Supplied by OEM
TIRES	
Make	Michelin XRV
Front Size	255/80R 22.5 14-ply
Rear Size	255/80R 22.5 14-ply
Wheels	8.25" Steel
ELECTRICAL	
Alternator	160 Amp Delco Remy
Battery	(2) 1,900 CCA @ 0 degrees F
CONTROLS	
Steering Column	ZF Tilt/Telescoping with Foot Pedal
Steering Wheel	DriveTech steering wheel w/ OptiVie
Instruments	OptiView LCD display, Daytime Runn
WARRANTY	
Basic Chassis / Drivetrain	3 years, 50,000 mi

5 years, 100,000 mi

5 years, 200,000 mi

1 year, 100,000 mi

6 months unlimited

5 years, 100,000 mi

w controls

ning Lights



Engine

Battery

Transmission

Corrosion /

Brightwork

Frame Rails / Cross

365RB AND 376ES

Coachmen Sportscoach SRS

Floor plans: 365RB, 366BH, 376ES





24/7 factory-direct phone support



Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic steering wheel Prioritizes driver safety



Increased towing capacity Superior roll stability & handling Greater durability

	G		

Make Cummins B6.7 340 HP @ 2,600 rpm Horsepower

Torque

VGT (Variable Geometry Turbocharger) Brake Brake

(single stage)

WEIGHT RATINGS

Front GAWR 10,410 lbs Rear GAWR 19.220 lbs Tag GAWR N/A Total GVWR 29 630 lbs Total GCWR 33,000 lbs

TRANSMISSION

Automatic Type

Allison 2500 6-speed

FUEL

Diesel Type Fuel Tank 90 Gallon 13 Gallon Def Tank

SUSPENSION

Front NEWAY AS120 Wheel Cut 55 Degree front wheel

Rear FCCC V-Ride

SHOCKS

Sachs custom tuned

AXLES

Front Detroit DA-F-10.5-3 Detroit DA-RS-20.0-4 Rear

BRAKES

Front Meritor CAM Brakes with ABS Meritor CAM Brakes with ABS Rear

Straight	9.125" x 2.81" x 0.3125"
FRAME	
Construction	Straight Rail Chassis with Formed Rail for Lowered Engine
Wheel Base	252*
COOLING	
Radiator	1,335 sq/inch, Rear mounted
нітсн	
Rating	Supplied by OEM
TIRES	
Make	Michelin XRV

Front Size 255/80R 22.5 14-ply Rear Size 255/80R 22.5 14-ply 8.25" Steel

ELECTRICAL

Alternator 160 Amp Delco Remy (2) 1,900 CCA @ 0 degrees F Battery

CONTROLS

Steering Column ZF Tilt/Telescoping with Foot Pedal Steering Wheel DriveTech steering wheel w/ OptiView controls

Instruments OptiView LCD, Daytime Running Lights

WARRANTY

Basic Chassis / Drivetrain 3 years, 50,000 mi

Engine 5 years, 100,000 mi Transmission 5 years, 200,000 mi Battery 1 year, 100,000 mi Corrosion / 6 months unlimited Brightwork

Frame Rails / Cross 5 years, 100,000 mi





339**DS-SRS**





- 340 HP DIESEL PUSHER
- AIR SUSPENSION & AIR BRAKES
- 1-PIECE FIBERGLASS ROOF
- AZDEL NOBLE SELECT SIDEWALL W/ 3 YEAR WARRANTY
- 6.0 DIESEL GEN W/ AUTO GEN START (TEMP, TIME & VOLTAGE)
- GENERATOR SLIDE TRAY
- 17' BUS MIRRORS
- ALUMINUM SLAM LATCH DOORS W 1.5" BULB SEAL
- 8,000 LB HITCH
- 40" EXTERIOR TV
- LP QUICK CONNECT
- FLAT FLOOR THROUGHOUT
- KING BED
- COACH-PAP STATION
- PANTRY-PLUS KITCHEN STORAGE
- PASSENGER COCKPIT TABLE
- MCD SOLAR / PRIVACY SHADES THROUGHOUT
- RESIDENTIAL REFRIGERATOR
- LP STAINLESS STOVE AND OVEN
- FIBERGLASS SHOWER
- 125W SOLAR PANEL

CLASS A DIESEL	339DS
CUMMINS ISB 6.7L ENGINE	340HP@2600 RPM
ALLISON TRANSMISSION	2100MH
WHEEL BASE	208"
GVWR	26,000 lbs.
GCWR	30,000 lbs
GAWR FRONT	10,410 lbs.
GAWR REAR	17,500 lbs.
FUEL CAPACITY	90 gal
LP GAS CAPACITY (gallons)	20 gal
FURNACE (BTUs)	(2) 20,000
EXTERIOR LENGTH (w/o ladder)	36' 3"
EXTERIOR HEIGHT (with AC)	12' 10"
EXTERIOR WIDTH	102"
FRESH WATER	72 gal
GREY WATER	45 gal
BLACK WATER	45 gal
WATER HEATER	10 gal
AWNING SIZE	18
EXTERIOR STORAGE	130 sq ft
TOW HITCH	8,000 lbs





354QS- SRS





- 4 SLIDE-OUT / FRONT ENTRY COACH
- 340 HP DIESEL PUSHER
- AIR SUSPENSION & AIR BRAKES
- 1-PIECE FIBERGLASS ROOF
- AZDEL NOBLE SELECT SIDEWALL W/ 3
 YEAR WARRANTY
- 6.0 DIESEL GEN W/ AUTO GEN START (TEMP, TIME & VOLTAGE)
- GENERATOR SLIDE TRAY
- 17' BUS MIRRORS
- ALUMINUM SLAM LATCH DOORS W 1.5" BULB SEAL
- 8,000 LB HITCH
- 40" EXTERIOR TV
- LP QUICK CONNECT
- FLAT FLOOR THROUGHOUT
- KING BED
- COACH-PAP STATION
- PANTRY-PLUS KITCHEN STORAGE
- PASSENGER COCKPIT TABLE
- MCD SOLAR / PRIVACY SHADES THROUGHOUT
- RESIDENTIAL REFRIGERATOR
- INDUCTION COOKTOP
- FIBERGLASS SHOWER
- 125W SOLAR PANEL

CLASS A DIESEL	354QS
CUMMINS ISB 6.7L ENGINE	340HP@2600 RPM
ALLISON TRANSMISSION	2100MH
WHEEL BASE	208"
GVWR	26,000 lbs.
GCWR	30,000 lbs
GAWR FRONT	10,410 lbs.
GAWR REAR	17,500 lbs.
FUEL CAPACITY	90 gal
LP GAS CAPACITY (gallons)	20 gal
FURNACE (BTUs)	TBD
EXTERIOR LENGTH (w/o ladder)	36' 4"
EXTERIOR HEIGHT (with AC)	12' 10"
EXTERIOR WIDTH	102"
FRESH WATER	72 gal
GREY WATER	45 gal
BLACK WATER	45 gal
WATER HEATER	10 gal
AWNING SIZE	14 ft
EXTERIOR STORAGE	130 sq ft
TOW HITCH	8,000 lbs





365RB- SRS





- 340 HP DIESEL PUSHER BATH AND HALF
- AIR SUSPENSION & AIR BRAKES
- 1-PIECE FIBERGLASS ROOF
- AZDEL NOBLE SELECT SIDEWALL W/ 3 YEAR WARRANTY
- 6.0 DIESEL GEN W/ AUTO GEN START (TEMP, TIME & VOLTAGE)
- GENERATOR SLIDE TRAY
- 17' BUS MIRRORS
- ALUMINUM SLAM LATCH DOORS W 1.5" BULB SEAL
- 8,000 LB HITCH
- 40" EXTERIOR TV
- LP QUICK CONNECT
- FLAT FLOOR THROUGHOUT
- KING BED
- BEDROOM HAMPER
- COACH-PAP STATION
- (2) KITCHEN PANTRY-STORAGE
- PASSENGER COCKPIT TABLE
- MCD SOLAR / PRIVACY SHADES THROUGHOUT
- RESIDENTIAL REFRIGERATOR
- LP STAINLESS STOVE AND OVEN
- FIBERGLASS SHOWER
- 125W SOLAR PANEL

CLASS A DIESEL	365RB
	340HP@2600
CUMMINS ISB 6.7L ENGINE	RPM
ALLISON TRANSMISSION	2500MH
WHEEL BASE	252"
GVWR	29,410 lbs.
GCWR	33,000 lbs
GAWR FRONT	10,410 lbs.
GAWR REAR	19,000 lbs.
FUEL CAPACITY	90 gal
LP GAS CAPACITY (gallons)	20 gal
FURNACE (BTUs)	35,000
EXTERIOR LENGTH (w/o ladder)	40' 0"
EXTERIOR HEIGHT (with AC)	12' 10"
EXTERIOR WIDTH	102"
FRESH WATER	72 gal
GREY WATER	45 gal
BLACK WATER	45 gal
WATER HEATER	10 gal
AWNING SIZE	17'
EXTERIOR STORAGE	191 sq ft
TOW HITCH	8,000 lbs





376ES - SRS






- 340 HP DIESEL PUSHER EXTENDED STAY "BUNK-OFFICE-WARDROBE" with SLIDING BARN DOOR
- AIR SUSPENSION & AIR BRAKES
- 1-PIECE FIBERGLASS ROOF
- AZDEL NOBLE SELECT SIDEWALL W/ 3 YEAR WARRANTY
- 6.0 DIESEL GEN W/ AUTO GEN START (TEMP, TIME & VOLTAGE)
- GENERATOR SLIDE TRAY
- 17' BUS MIRRORS
- ALUMINUM SLAM LATCH DOORS
- 8,000 LB HITCH
- 40" EXTERIOR TV
- LP QUICK CONNECT
- FLAT FLOOR THROUGHOUT
- KING BED
- COACH-PAP STATION
- KITCHEN PANTRY-STORAGE
- PASSENGER COCKPIT TABLE
- MCD SOLAR / PRIVACY SHADES THROUGHOUT
- RESIDENTIAL REFRIGERATOR
- LP STAINLESS STOVE AND OVEN
- FIBERGLASS SHOWER
- 125W SOLAR PANEL
- BEDROOM HAMPER

CLASS A DIESEL	366BH
	340HP@2600
CUMMINS ISB 6.7L ENGINE	RPM
ALLISON TRANSMISSION	2500MH
WHEEL BASE	252"
GVWR	29,410 lbs.
GCWR	33,000 lbs
GAWR FRONT	10,410 lbs.
GAWR REAR	19,000 lbs.
FUEL CAPACITY	90 gal
LP GAS CAPACITY (gallons)	20 gal
FURNACE (BTUs)	35,000
EXTERIOR LENGTH (w/o ladder)	40' 0"
EXTERIOR HEIGHT (with AC)	12' 10"
EXTERIOR WIDTH	102"
FRESH WATER	72 gal
GREY WATER	45 gal
BLACK WATER	45 gal
WATER HEATER	10 gal
AWNING SIZE	20'
EXTERIOR STORAGE	191 sq ft
TOW HITCH	8,000 lbs



340HP: SRS EXTERIORS



340HP STRAIGHT RAIL SERIES (SRS) & 360HP RAISED RAIL (RD) – INTERIOR WOOD

- CHOCOLATE CHERRY
- Ritz Grey Wallboard
- Concrete Lenox Nightstand / Bedroom Countertops
- Calcutta Warm Bathroom Countertop
- Staron Cotton White Solid Surface Kitchen Countertop
- New Roca Stone SHAW Vinyl Flooring
- Divine Athena Gloss Mosaic Kitchen & Bathroom Backsplash (SRS Models Only)
- 'Morning Fog Arabesque' Kitchen & Bathroom Backsplash (RD Only)









340HP STRAIGHT RAIL SERIES (SRS) & 360HP RAISED RAIL (RD) – INTERIOR WOOD

- WHITE VELVET
- Ritz Grey Wall Board
- Concrete Lenox Nightstand / Bedroom Countertops
- Calcutta Warm Bathroom Countertop
- Staron Cotton White Solid Surface Kitchen Countertop
- New Roca Stone SHAW Vinyl Flooring
- Divine Athena Gloss Mosaic Kitchen & Bathroom Backsplash (SRS)
- 'Morning Fog Arabesque' Kitchen & Bathroom Backsplash (RD Only)









340HP STRAIGHT RAIL SERIES (SRS) - INTERIOR DECOR

-TAHOE (Light) / POWELL (Medium)



Tahoe



Tahoe



Powell





Powell







SPORTSCOACH

360HP - RAISED RAIL SERIES (RD)



402TS



360HP: RAISED RAIL SPEC SHEET

LASS A DIESEL	402TS	403QS
CUMMINS ISB 6.7L ENGINE	360 HP@2600 RPM	360 HP@2600 RPM
ALLISON TRANSMISSION	3000MH	3000MH
WHEEL BASE	266"	266"
GVWR	32,000 lbs	32,000 lbs
GCWR	42,000 lbs	42,000 lbs
FUEL CAPACITY	100 gal	100 gal
LP GAS CAPACITY	20 gal	20 gal
FURNACE (BTUs)	(2) 20,000	(2) 20,000
EXTERIOR LENGTH (w/o Ladder)	41'1"	41' 1"
EXTERIOR HEIGHT (w/A/C)	12' 10"	12' 10"
EXTERIOR WIDTH	102"	102"
FRESH WATER	89 gal	89 gal
GREY WATER	(2) 52 gal	52 gal
BLACK WATER	52 gal	52 gal
WATER HEATER	10 gal	10 gal
AWNING SIZE	18'	17'
EXTERIOR STORAGE	254 cu. ft.	254 cu. ft.
TOW HITCH	10,000 lbs	10,000 lbs

SPORTSCOACH LUXURY DIESEL PUSHERS

RAISED RAIL SERIES (RD) SELLING FEATURES

SportsCoach Raised Rail (RD) Diesel Coaches are Standard Equipped with the Following:

- 1. Big Block Cummins (B6.7)
- 2. 360 HP Freightliner Chassis (not a 340HP like our competitors; Navigator, Pace Arrow)
- 3. 6 spd. 3000 Allison Transmission
- 4. GVWR- 32000#
- 5. 22.5" Tires
- 6. Dual Fuel Tanks (100 gal)
- 7. 10,000# Hitch and True Towing Capacity
- 8. 800# of Foot Torque
- 9. 2,000 Watt Inverter w/ 4 Coach Batteries and 2 Chassis Batteries
- 10. Standard 8.0 Onan Diesel Generator on a Slide-Out Tray (not a 8.0 with no slide tray)
- 11. 17" Bus Style Mirrors (not 13" or 14" side mounted)
- 12. Exterior Side Mounted Cameras (mounted low for best visibility -- not high and in the side mirrors)
- 13. Double Laminated Walls/Roof and Floor (pinch-rolled <u>and</u> vacuum bonded)
- One-Piece Rolled Fiberglass Roof (not a TPO roof)
- 15. Emser Tile Throughout Coach (laid on a free-floating floor system to absorb road conditions)
- 16. Noble Select High Gloss Fiberglass Gelcoat (3-year wall warranty w/AZDEL substrate)
- 17. Sikkens Brand Paint (6 Layers of Sikkens) Plus 4X Clear Coats (the same paint used on Mercedes vehicles)
- 18. Sachs Shocks (custom tuned; used on Maserati, Rolls Royce)
- 19. AZDEL Composite Sidewall and Roof Construction (eliminates the threat of rot, mold, mildew, delamination, formaldehyde off-gassing)
- 20. Full-Size Aluminum Slam Latch Baggage Doors with 1.5" Bulb Seal
- 21. The Best Construction and Quality in the Industry!
- 22. No Cloned or "Sister" Products (no competition next door or up the street)
- 23. Coachmen Does NOT do Business with Camping World Stores (no "back-dooring" from another location)
- 24. Coachmen is One of the Most Recognized Names in the Industry and Has a Long History of Success Dating Back to 1964!

402TS AND 403QS







2021 SPEC SHEET

Coachmen Sportscoach RD

Floor plans: 402TS, 403QS, 410ES





24/7 factory-direct phone support

Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic Prioritizes driver safety

Increased towing capacity stability & handling Greater durability & longevity

Make	Cummins B6.7
Horsepower	360 HP @ 2,60

ENGINE

60 HP @ 2,600 rpm

Torque

VGT (Variable Geometry Turbocharger) Brake Brake

WEIGHT RATINGS

Front GAWR 12,000 lbs Rear GAWR 20,000 lbs Tag GAWR N/A Total GVWR 32,000 lbs Total GCWR 42,000 lbs

TRANSMISSION

Type Automatic

Allison 3000 6-speed Gears

FUEL

Diesel Type Fuel Tank 100 Gallon 13 Gallon

SUSPENSION

NEWAY AS120 Front Wheel Cut 55 Degree front wheel

Rear V-Ride

SHOCKS

Sachs custom tuned Make

AXLES

Front Detroit DA-F-12.0-3 Detroit DA-RS-20.0-4

BRAKES

Front Bendix Air Disc Brakes with ABS Meritor CAM Brakes with ABS Rear

RAILS

9.0" x 2.75" x 0.25" Front 9.0" x 2.75" x 0.25" Upper 9.0" x 2.75" x 0.25" Rear

FRAME

Raised Rail Chassis with Formed Rail for Construction

Lowered Engine

Wheel Base

COOLING

Radiator 1,335 sq/inch, Rear mounted

HITCH

10,000 lbs Rating

TIRES

Michelin XZE2 Make Front Size 275/80R 22.5 14-ply

Rear Size 275/80R 22.5 14-ply Wheels 8.25" Aluminum Tire Pressure Monitoring System

ELECTRICAL

Alternator 160 Amp Delco Remy

Battery (2) 1,900 CCA @ 0 degrees F

CONTROLS

Steering Column ZF Tilt/Telescoping with Foot Pedal

Steering Wheel DriveTech Steering Wheel w/ Optiview Controls OptiView LCD display, Daytime Running Lights Instruments

WARRANTY

Basic Chassis / Drivetrain

Transmission

3 years, 50,000 mi

5 years, 100,000 mi 5 years, 200,000 mi

Battery 1 year, 100,000 mi 6 months unlimited

Corrosion / Brightwork

5 years, 100,000 mi

Frame Rails / Cross



402TS SPORTSCOACH





- 360 HP DIESEL PUSHER 2 FULL **BATH, BUNK HOUSE / SLEEPS 10!**
- **NEW FRONT CAP**
- 1-PIECE FIBERGLASS ROOF
- AZDEL NOBLE SELECT SIDEWALL W/3 YEAR WARRANTY
- 8.0 DIESEL GEN W/ AUTO GEN START (TEMP, TIME & VOLTAGE)
- **GENERATOR SLIDE TRAY**
- 17' BUS MIRRORS
- **ALUMINUM SLAM LATCH DOORS**
- **USB BEDROOM CHARGE PORTS**
- **80" BOOTH**
- 50" LIVING ROOM TV
- LP QUICK CONNECT
- **NEW DIESEL DASH**
- KING BED
- **COACH-PAP STATION**
- KITCHEN PANTRY-STORAGE
- **NEW KITCHEN COUNTER AND BACKSPLASH**
- MCD SOLAR / PRIVACY SHADES **THROUGHOUT**
- RESIDENTIAL REFRIGERATOR
- INDUCTION COOKTOP
- FIBERGLASS SHOWER
- **125W SOLAR PANEL**
- FRONT DROP DOWN BUNK

CLASS A DIESEL	402TS
CUMMINS ISB 6.7L ENGINE	360HP@2400 RPM
ALLISON TRANSMISSION	3000MH
WHEEL BASE	
	266"
GVWR	32,000 lbs.
GCWR	42,000 lbs
GAWR FRONT	12,000 lbs.
GAWR REAR	20,000 lbs.
FUEL CAPACITY	100 gal
LP GAS CAPACITY (gallons)	20 gal
FURNACE (BTUs)	(2) 20,000
EXTERIOR LENGTH (w/o ladder)	41' 1"
EXTERIOR HEIGHT (with AC)	12' 10"
EXTERIOR WIDTH	102"
FRESH WATER	89 gal
GREY WATER	52 gal (2)
BLACK WATER	52 gal
WATER HEATER	10 gal
AWNING SIZE	18'
EXTERIOR STORAGE	254 sq ft
TOW HITCH	10,000 lbs





4030S SPORTSCORCH






- 360 HP DIESEL PUSHER DOUBLE **BOWL LAV / BEDROOM SUITE**
- **NEW FRONT CAP**
- 1-PIECE FIBERGLASS ROOF
- AZDEL NOBLE SELECT SIDEWALL W/3 YEAR WARRANTY
- 8.0 DIESEL GEN W/ AUTO GEN START (TEMP, TIME & VOLTAGE)
- **GENERATOR SLIDE TRAY**
- 17' BUS MIRRORS
- **ALUMINUM SLAM LATCH DOORS**
- **USB BEDROOM CHARGE PORTS**
- 50" LIVING ROOM TV
- LP QUICK CONNECT
- **NEW DIESEL DASH**
- "FREE-FLOAT" TILE FLOOR SYSTEM
- KING BED
- **COACH-PAP STATION**
- KITCHEN PANTRY-STORAGE
- POWER THEATER SEATS AND SOFA
- MCD SOLAR / PRIVACY SHADES **THROUGHOUT**
- RESIDENTIAL REFRIGERATOR
- **BUILT-IN HAMPER**
- FIBERGLASS SHOWER W/ SEAT
- 125W SOLAR PANEL
- FRONT DROP DOWN BUNK

CLASS A DIESEL	403QS
	360HP@2400
CUMMINS ISB 6.7L ENGINE	RPM
ALLISON TRANSMISSION	3000MH
WHEEL BASE	266"
GVWR	32,000 lbs.
GCWR	42,000 lbs
GAWR FRONT	12,000 lbs.
GAWR REAR	20,000 lbs.
FUEL CAPACITY	100 gal
LP GAS CAPACITY (gallons)	20 gal
FURNACE (BTUs)	(2) 20,000
EXTERIOR LENGTH (w/o ladder)	41' 1"
EXTERIOR HEIGHT (with AC)	12' 10"
EXTERIOR WIDTH	102"
FRESH WATER	89 gal
GREY WATER	52 gal
BLACK WATER	52 gal
WATER HEATER	10 gal
AWNING SIZE	17'
EXTERIOR STORAGE	254 sq ft
TOW HITCH	10,000 lbs
	Militaria



360HP: RD EXTERIORS



360HP RAISED RAIL SERIES (RD) INTERIOR DECOR

-RD: GLACIER (Light) / MOJAVE (Medium) / SUPERIOR (Dark)



Glacier



Glacier



Glacier



Mojave



Mojave



Mojave

BUNKS OFFICE WARDROBE









NEW BUNK - OFFICE – WARDROBE (376ES & 410ES)



Outside Kitchen Option: (339DS, 365RB, 376ES)



COACHMEN EXCLUSIVE – COACH-PAP STATION

Our C-Pap Station can be plugged in at the overhead cabinet. The hatch located on the bottom side of the cabinet allows for hoses to be dropped down from above.



COACH-CAMP™ PACKAGE

PATIO SIDE LP QUICK CONNECT

Quickly connect your portable gas grill with the quick connect located just behind the rear tires on the patio side.



ROOF MOUNTED SOLAR PANEL

Each coach is equipped with a 125 Watt solar panel (upgradable to 265 Watt with existing control box).



SATELLITE PREP

Each coach is equipped with in-motion satellite prep.




AWNING SPEAKERS (if Equipped)

External speakers are built into the patio awning arms allowing you to have added external sound in the patio area. Great for Tailgating!



INDUSTRY LEADER IN BEING FIRST-IN-LINE AND FIRST-IN-MIND!





TREADLITE STEPS





STANDARD OVERHEAD BUNK: 600# CAPACITY

LG – HIGH MACK COUNTERTOPS AND SINK COVERS.





ONE-PIECE FIBERGLASS SHOWER



Farm style sink waterfall edge



Kitchen prep area with solid surface countertops and sink covers.



INTERIOR



Upgraded and very fashionable furniture packages are standard in every Sportscoach.

LG HI-MAC kitchen countertops with décor-specific matching to the floors and shower walls. Look close as some competitors use a thermo-foil countertop in the kitchen.

Each galley comes with a huge waterfall "Farmer's Sink", custom spring chef's choice faucet and pop-up USB charge ports along with a FULL color-coordinated backsplash.

LED lights throughout are much more efficient and cool to the touch. Also standard on every SportsCoach is the King Jack Television antenna which will pull in many digital channels.

CONNEX televisions are standard in the living room, bedroom and exterior. While most manufacturers use off-brand products.

The VERY popular overhead bunk is standard on all models. Easily drops down into a bunk with 600 lb. rating. It can also be used as extra storage like a dropdown pantry! Great place to store valuables and can be locked for security.

The front windshield has a POWERED solar and privacy screen. Manual ones are installed throughout the rest of the coach. Don't be fooled by competitors that only offer privacy shades or curtains!

The 10.1" Axxera dash radio w/Car Play Auto-link and Logo display.

STELLAR QC Quick Charge – USB charging on dash ports.



INTERIOR





Heat pumps

- 15,000 BTU A/C's with Heat Pumps are Standard in the front and rear.
- A Heat Pump will heat the motorhome without having to run the L/P furnace
- Provides heat for the motorhome when the outside ambient temperature is above 38° to 40°



FIREPLACE:

The fireplace acts as a space heater and runs off of electric.

Provides up to 5,000 BTUs 1500 Watts Runs off of 120V, 60Hz



Self Closing Drawer Guides

- Drawers will not shut violently decreasing chance of damage
- Doors lock stronger when close and decrease the chance of flying open while in transit



Power Theater Seating

- Power Theater Seating is Optional
- Equipped with massage, heat and recline functions.
- Within the center console are with USB ports and a place to put TV remotes.

EXTERIOR

Solar

Each SportsCoach has a 125-Watt solar panel on the roof

This provides 8-12 amps of power per hour

Customers can upgrade to 300-Watt panel aftermarket

Bulk Charge, battery voltage has not yet reached boost voltage and 100% of available solar power is used to charge the battery

Boost Charge, when the battery has recharged to the boost voltage setpoint, constant – current regulation is used to prevent heating and excessive battery gassing.

Float Charge, after the battery is fully charged in Boost voltage stage, the controller reduces the battery voltage to Float voltage set point. When the battery is fully recharged, there will be no more chemical reactions and all the charge current transmits into heat and gas at this time.









KING Jack - digital HDTV antenna system



Wider reception range

Less directional than traditional RV antennas to provide broader reception coverage

Greatly improved UHF reception

Superior reception of UHF signals where over 80% of new DTV channels are broadcast, also offers great reception of remaining VHF channels

Fixed height- 8.5" tall

- No need to crank up, can't forget to crank down
- Not affected by ice or snow build-up on roof
- Lower than A/C unit or satellite dish
- Compatible with mobile DTV reception

Environmentally protected

- No periodic lubrication of roof mounted components
- No exposed coaxial cables or connectors

2 year parts, 1 year labor warranty

Adjustable for different roof thicknesses

1" to 8" roofs without any cutting or gluing

Compact, aerodynamic design

70% smaller and lighter than Batwing antennas



In order to get Radio or TV reception your booster must be turned on at your control monitor panel

Floor

5-Layer Laminated Construction

1. Galvanized steel underbelly

- Coated with Zinc Oxide to prevent metal from rusting and is harder to scratch
- Helps keep rodents and other pests from gaining access to interior

2. 1½" Welded tubular steel framing

 Stronger than aluminum (aluminum is a low-density metal and when used in structures it is more prone to vibrations and bending compared to steel)

3. 1½" High compression block foam insulation

- Increases R-Value and insulation of motorhome. Thicker block foam than many other manufacturers providing better insulated RVs

4. ½" floor decking

- 2 layers of ¼" decking with staggered seams
- Staggering seams prevents dead spots and air gaps since no seams run through entirety of floor

5. Linoleum (SHAW Flooring)

- Slip Resistant
- Stain Resistant
- Cold Crack Resistant
- Resistant to Mold and Mildew

If Our Walls Could Talk

Starts with **Noble Select** Sidewall gel coat exterior, which is thicker than most competitors and offers a three-year warranty through our supplier...

Our Walls are Vacuum-bonded AND pinch-rolled for maximum adhesion!

Within the walls, the **Noble Select** is adhered to **Azdel** composite panels, which are a blend of polypropylene and fiberglass...

Azdel is...

- HALF the weight of wood!
- IMPERVIOUS to water!
- FORMALDEHYDE free and odorless!
- THREE times the insulation of a wood panel!
- RAISES the R-Value 2 points!
- ABSORBS sound for a guieter ride!
- More IMPACT resistance tends to flex rather than staying rigid so it doesn't crack
- NOT WOOD wet wood causes panel delamination and Separation

Aluminum structure is DOUBLE-WELDED at the joints!

Metal EGS Backers for secure anchoring points of cabinets





Roof

5-Layer Laminated Construction

- 1. Interior wallboard
- 2. Rigid polystyrene foam insulation
 - Virtually impervious to moisture
 - Provides great insulation properties

3. Aluminum rafters

- Crowned for controlled water run off
- Can withstand considerable amounts of weight
- Impervious to water damage

4. Azdel Roof Decking

- Strengthens roof

5. One piece Fiberglass roof

- Easy to clean
- No seams run down the middle
- Long lasting
- 1 Year Warranty on skin





Sidewalls

5-Layer Laminated Construction

- 1. Fiberglass exterior skin
 - Noble Select High gloss sidewall with gel coat
 - 3 Year warranty

2. Azdel composite substrate backer

- 50% lighter than wood
- Made in the USA
- Impervious to water, rot, or mold damage
- 3X the insulation value of wood

3. 1½" High compression foam insulation

 Increases R-Value and insulation of motorhome. Thicker foam than many other manufacturers providing better insulated RVs

4. 1½" aluminum framing with electroplated galvanized steel backing

- Aluminum framing around door and windows
- Electroplated galvanized steel backing provides anchoring for cabinets and other heavy objects hung from interior of the sidewall

5. Interior décor wallboard

Residential looking



CoolStream Ducting

The SportsCoach comes standard with dual 15,000 BTU A/Cs with heat pump air conditioning units, and a 6K or 8K diesel generator.

The SportsCoach has CoolStream® residential ducting. This is an air conditioning system that is ducted through the crowned, vacuum-bonded roof. The system is insulated ductwork with an antibacterial coating that resist mold and mildew build-up. Radius corners provide maximum efficiency

Other Motorhome manufacturers utilize molded block Styrofoam insulation for their airflow. Styrofoam is comprised of thousands of miniscule circular beads that have microscopic pores. Over time, those pores will accumulate dust particles. Air conditioning is nothing more than displacing moisture from the inside of the coach and transferring it to the outside which means moisture flowing freely through the coach and interacting with dirt and dust. Over time, this can have an adverse affect, especially for customers that are very sensitive to allergies.



Coachmen Ducting





Competition Ducting



STANDARD HEAT PUMPS

The reversing valve Rotates 90°. This changes the direction of the flow of the refrigerant. It goes in the opposite direction and this is the reverse of the cooling cycle. Instead of absorbing heat from inside the motorhome it absorbs heat from the air outside the motorhome and transfers that heat to the indoor air. Now the indoor coil has become Condenser and the outdoor coil has become Evaporator Notice that the heat isn't generated by a gas furnace. It is just moved (or pumped) from the outside air to inside the motorhome. This is why the Heat Pump is so popular in moderate climates. It also functions effectively in colder climates when the outside temperature is 40° or warmer. You don't need to operate the furnace when the weather cools off. Because of the reversing valve you can use the same electric system as both an air conditioner and a heater!








STANDARD HEAT PUMPS

Why GE RV AC?



A complete line of RVAC models designed to provide year-round comfort, quality and performance.

- · COOL ONLY
- HIGH-EFFICIENCY COOL ONLY



HEAT PUMP+FURNACE Extends Propose Usage Batween 19-39% at 35°F Outdoor Temp.* In theat pump mode the RV's AVC is working in reverse. Heat from this is utilized to supplement the famace.



AUTO CHANGEOVER HEAT PUMP.
When the outdoor temperature drops below 25°F the heat mode automatically engages aurularly neating sources, e.g., an RV turnsce of the RV is so equipped) to provide orbital comfort.













RARESIA ROOM SENSOR KIT FOR RV-C



AERO DYNAMIC APPEARANCE • Automotive grade, UV-resistant, ASA polymer • Single piece, aerodynamic shroud design reduc • Available in two colons: Snow Write & Black for

- DURABLE BY DESIGN
 Built for Long-Lasting Porformance

 Sealed fan motor helps prevent entry of water, det and debrn
 Sire writed burs pan with lower height creates a more robust





HEAT PUMP EFFICIENCY

EXTENDS PROPANE USAGE 19-38% AT 35F OUTDOOR TEMP*

- · In heat pump mode the RV's air conditioner is working in reverse mode.
- · Heat from the outside is leveraged to supplement the furnace operation, and the heat is transferred to the interior of the RV.
- · GE's Heat Pump mode, if combined with a propane powered furnace will extend propane usage between 19-38% at an outdoor temperature of 35F.










Coachmen Digital Owner's Manual





*One Control only for Raised Rails





SafeRide RV provides the Roadside Assistance Program for Forest River RV product lines including Coachmen RV's SportsCoach.





WHEN YOU'RE ON THE ROAD.

Your membership covers you, a spouse or significant other, and children age 24 or younger licensed to drive your RV or other owned vehicles. SafeRide RV Motor Club's membership includes emergency roadside membership includes emergency roadside assistance and concierge services that you can use both on and off the road. We'll guide you to the best campsites, make your dinner reservations, and refer you to exciting, local activities.



Towing your disabled vehicle to the nearest qualified repair facility

Jump-Starts A jump-start for your vehicle's dead battery or a tow to a qualified

repair facility

Changing flat tires using a mounted and inflated spare tire, delivering comparable Initiated spare life, delivering comparation three to disoblement sites, or towing vehicles to a tire facility. The cost of a delivered replacement life, alignment, mount and dismount, and balancing is not covered. Customers are responsible for all charges related to on-site repairs, including but not limited to parts and labor costs.

Delivery of Fuel and Emergency Fluids Delivering fuel, oil, and water, as necessary, to

remedy disablements Customers are responsible for the cost of

Locksmith / Lockout Service Providing locksmith services, opening locked

vehicles, and/or obtaining replacement keys. Customers are responsible for all charges related to on-site repairs, including but not limited to parts and labor costs.

Winch Out For RVs that can be accessed from an established, maintained road, highway, thoroughfare, or street.

Technical Support Features 24/7 technical assistance from our staff of RVIA/RVDA and ASE Certifled

Technicians, who speak directly with customers to troubleshoot operational issues. Should you need emergency roadside assistance, our vast network of providers offers a wide range of services to handle their unique

RV Mobile Mechanic

Dispatching of a mechanic to the site of mechanically-disabled vehicles. Customer charges related to onsite repairs, including but not limited to parts and labor costs.



Provide member with information, maps, trip itineraries, discounted hotel reservations, and discounted automobile rental services. Ten business days advanced notice is required for customized trip routing.

Access to a full range of services to make Access to a full range of services to make life easier, including car rental reservations, emergency return travel arrangements, road closure warnings, RV campground referrals, and more.

In the event of a RV mechanical breakdown while more than 200 miles from home, customers will reimbursed up to a certain amount for lodging and meals while the vehicle is kept for repairs at a licensed repair



13901 Midway Road, Suite 102-429 Dallas, TX 75244-4388

SRDRV - 3.15







Select suppliers have warranties that are handled directly by their service professionals. The following is a guideline of the partners we utilize:

COMPONENT	SUPPLIER'S LIMITED WARRANTY:
STRUCTURE	1 YEAR
FIT & FINISH	1 YEAR
ONAN GENERATOR	3 YEARS
SHAW FLOORING	3 YEARS
APPLIANCES	1 YEAR
SOLAR SHADES	1 YEAR
LIPPERT SLIDE	1 YEAR
LIPPERT HYDRAULIC JACKS	1 YEAR
TREAD LITE POWER STEP	1 YEAR
GE AIR CONDITIONER	2 YEARS
ATWOOD FURNACE	2 YEARS
ATWOOD WATER HEATER	2 YEARS
FIBERGLASS ROOF SKIN	2 YEARS
Noble Select Side Walls	3 YEARS
WILLIAMSBURG DRIVER AND PASSENGER SEATS	2 YEARS
TELEVISIONS	1 YEAR